

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.: _____

DATE : 5/16/2005

TO SPE OF : ART UNIT 3700

SUBJECT : Request for Certificate of Correction on Patent No.: 6,860,820

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within **7** days to:

Certificates of Correction Branch - PK 3-922

Palm location **7580** - Tel. No. 305-8309

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Are changes to col.6, line 29 & col.7, lines 39 & 59 okay?

Ernest C. White, LIE305-8339

Thank You For Your Assistance

Certificates of Correction Branch

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☒ **Approved**

All changes apply.

☐ **Approved in Part**

Specify below which changes **do not** apply.

☐ **Denied**

State the reasons for denial below.

Comments:


GREGORY VIDOVICH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700

SPE

3700
Art Unit



10.720 936

PATENT
Attorney Docket No. 217931

115
c6cc
5

THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number 6,860,820
Issued: March 1, 2005
Name of Patentee: Paul Specht
Title of Invention: GOLF CLUB AND METHODS OF MANUFACTURE

**REQUEST FOR CERTIFICATE OF CORRECTION OF
PATENT FOR APPLICANT'S MISTAKE (37 CFR 1.323)**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Attn: Decision and Certificate of Correction
Branch of the Patent Issue Division

Dear Sir:

It is requested that a Certificate of Correction be issued to correct errors found in the above-identified patent. Please note that these errors are of a clerical nature or character. The errors occurred in good faith. Correction thereof does not involve such changes in the patent as would constitute new matter or would require reexamination. Accordingly, attached hereto is a Certificate of Correction, in duplicate, which indicates the requested corrections.

The Commissioner is hereby authorized to charge the \$100.00 fee as required by 37 CFR 1.20(a) to Deposit Account No. 12-1216. A duplicate of this communication is enclosed for that purpose.

04/26/2005 HADELR1 00000031 121216 6860820
01 FC:1811 100.00 DA

Respectfully submitted,

Theodore W. Anderson, Reg. No. 17,035
LEYDIG, VOIT & MAYER, LTD.
Two Prudential Plaza, Suite 4900
180 North Stetson Avenue
Chicago, Illinois 60601-6780
(312) 616-5600 (telephone)
((312)616 5700

Date: April 22, 2005



CERTIFICATE OF MAILING

I hereby certify that this REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR APPLICANT'S MISTAKE (37 CFR 1.323) (along with any documents referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, Attn: Decision and Certificate of Correction, Branch of the Patent Issue Division, P.O. Box 1450, Alexandria, VA 22313-1450.

Date: 4-22-05

Haren Heinrichs

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,860,820
DATED : March 1, 2005
INVENTOR(S) : Paul Specht

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5

Line 21, delete "putter" and insert - -putter - -

Column 6

Line 29, delete "in [0052]" and insert - - at column. 6, lines 3-6 - -

Line 41, delete "line 6-16" and insert - - line 16-16 - -

Column 7

Line 39, delete "[0057]" and insert - - column 7, lines 19-25 - -

Line 59, delete "[0050]" and insert - - column 5, lines 40-44 - -

MAILING ADDRESS OF SENDER:

Theodore W. Anderson, Reg. No. 17035
Leydig, Voit & Mayer, Ltd.
Two Prudential Plaza, Suite 4900
180 North Stetson Avenue
Chicago, Illinois 60601-6780

PATENT NO. 6,860,820

No. of additional copies
@ \$.30 per page

